Cornerstone Counseling Ministry
Leading People to the Hope, Help, and Healing of God's Transforming Grace

2018 Addiction Seminar

A Biblical Approach to Addictions and Recovery

| | Wh | nat is an Addiction? |
|-----|-----|------------------------|
| | a. | Disease |
| | b. | Choice |
| | C. | Voluntary Slavery |
| | d. | Idolatry |
| II. | The | e Process of Addiction |
| | а. | Single-Cause Theories |

| b. Bik | olical | Progr | ession |
|--------|--------|-------|--------|

i. Desire

ii. Habit

iii. Biology

iv. Idolatry

III. Treatment of Addictions

a. Medication

- b. The Four R's

 IV. Responsibility

 a. Choices
 - b. Desires

- c. Thoughts
- V. Relationship a. With God

b. With Others

VI. Restructuring

a. Avoidance

b. Adaptation

c. Augmentation

d. Amusement

e. Awe

VII. Remaining

- a. Community
- b. Honesty
- c. Joy

Truth and Lies Chart

| Lies I Believe | Biblical Truth | Scriptural Reference |
|----------------|----------------|----------------------|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |



Restructuring Evaluation

| Rank 1 – Most Change Needed 2 – Least Change Needed | Focal Area | Weakness: What needs to change in this are? | Impact of Weakness: How does this weakness contribute to struggle? |
|---|----------------------------|---|--|
| | Avoidance Strategies | | |
| | Adaptation Strategies | | |
| | Augmentation Strategies | | |
| | Amusement Strategies | | |
| | Awe Strategies | | |

Substance Abuse/Chemical Dependency Assessment

| rame. |
|--|
| GENERAL SYMPTOMS OF CHEMICAL DEPENDENCY (Check all that apply) |
| Preoccupation □ Daily Use □ Guilt or remorse □ Tolerance □ Loss of control□ A.M. Drinking □ Hiding supply □ Prescription abuse □ Blackouts □ Pre-drinking □ Sneaking use □ Use to reward self Unable to stop □ Binging □ Use to reduce stress □ Preoccupation □ Elaboration (include triggering events): |
| PHYSICAL - WITHDRAWAL SYMPTOMS OF CHEMICAL DEPENDENCY |
| Tremors |
| BEHAVIOR - PERSONALITY CHANGES ASSOCIATED WITH USE |
| Verbal abuse |
| FINANCIAL AND LEGAL HISTORY |
| Wages garnished □ Bankruptcy □ Legal problems □ Repossessions □ Suspended license □ Collection agency involved □ |
| Indicate dates of arrest if applicable: DWI-DUI: Possession: Drug sales: Burglary: Domestic Violence: Other: History of probation: |
| PROBLEMS IN JOB, SCHOOL OR OTHER ROLE FUNCTIONS |
| Attendance |
| TREATMENT HISTORY (Indicate dates of treatment) |
| Detoxification: Outpatient: Aftercare: Other: Inpatient: Longest abstinence: |
| ☐ Client reports past history of use but is now abstinent: |
| Substance Amount Frequency Age began Last used |
| |
| |
| |
| OTHER ADDICTIONS Eating Gambling Sexual Spending Codependency Other State Sexual Sexu |
| CHEMICAL DEPENDENCY ASSESSMENT SUMMARY Chemical dependency apparent: Yes No Refer for evaluation of level of care: Yes No Chemical abuse apparent: Yes No Chemical abuse apparent: No Chemical abuse apparent: Yes No Chemical abuse apparent: No Chemical a |



Prescription Drug Addiction Assessment Tool

The purpose of this self-test is to enlighten you about your own level of prescription drug use. Please answer each question honestly, with **0**=Never; **1**=Rarely; **2**=Sometimes; **3**=Frequently; **4**=Always

| answer each question nonestly, with u =Never; 1=Rarely; 2=Sometimes; 3=F | rec | lue | ntiy | , 4 | 4=/ | uways |
|--|-----|-----|------|-----|-----|-------|
| Have you ever manipulated or lied to a doctor to obtain prescription drugs? | 0 | 1 | 2 | 3 | 4 | 5 |
| Have you ever stolen prescription drugs or stolen to obtain prescription drugs? | 0 | 1 | 2 | 3 | 4 | 5 |
| • Do you regularly use a prescription medication in a way that it is unintended (for example, increased dosage)? | 0 | 1 | 2 | 3 | 4 | 5 |
| Have you ever taken one prescription drug to overcome the effects of another? | 0 | 1 | 2 | 3 | 4 | 5 |
| Do you avoid people and places that do not approve of you using prescription drugs? | 0 | 1 | 2 | 3 | 4 | 5 |
| Has your job or school performance ever suffered from the effects of your prescription drug use? | 0 | 1 | 2 | 3 | 4 | 5 |
| Have you ever been arrested as a result of using prescription drugs? | 0 | 1 | 2 | 3 | 4 | 5 |
| Have you ever lied about what or how much you use? | 0 | 1 | 2 | 3 | 4 | 5 |
| Have you ever lied to a physician to obtain a prescription for drugs? | 0 | 1 | 2 | 3 | 4 | 5 |
| Do you put the purchase of drugs ahead of your financial responsibilities? | 0 | 1 | 2 | 3 | 4 | 5 |
| Have you ever tried to stop or control your using? | 0 | 1 | 2 | 3 | 4 | 5 |
| Have you ever been in a jail, hospital or drug rehabilitation center because of your using? | 0 | 1 | 2 | 3 | 4 | 5 |
| Does using interfere with your sleeping or eating? | 0 | 1 | 2 | 3 | 4 | 5 |
| Does the thought of not having prescription drugs worry you? | 0 | 1 | 2 | 3 | 4 | 5 |
| • Do you feel it is impossible for you to live without your prescription drug(s)? | 0 | 1 | 2 | 3 | 4 | 5 |
| • Do you feel depressed and/or suicidal because of your prescription drug use? | 0 | 1 | 2 | 3 | 4 | 5 |
| Is your prescription drug use making your social or home life unhappy? | 0 | 1 | 2 | 3 | 4 | 5 |
| Have you ever felt defensive, guilty, or ashamed about your using? | 0 | 1 | 2 | 3 | 4 | 5 |
| Do you think a lot about a certain prescription drug or drugs? | 0 | 1 | 2 | 3 | 4 | 5 |
| Do you use prescription drugs because of pain or stress? | 0 | 1 | 2 | 3 | 4 | 5 |
| Have you ever overdosed on any prescription drug/drug? | 0 | 1 | 2 | 3 | 4 | 5 |
| Do you continue to use despite knowing its negative physical or | 0 | 1 | 2 | 3 | 4 | 5 |
| psychological consequences? | | | | | | |
| Do you think you might have a drug problem? | 0 | 1 | 2 | 3 | 4 | 5 |
| | | | | | | |

ALCOHOL:

BEHAVIORAL EFFECTS: Sedation/drowsiness, confusion, slurred speech, poor concentration, incoordination.

PSYCHOLOGICAL EFFECTS: Decreased anxiety, feeling of well-being, decreased inhibitions, mild stimulation

INTOXICATION EFFECTS: Loss of consciousness, slow or arrested breathing, vomiting WITHDRAWL ISSUES: (Begins 5-10 hours after last drink and lasts 5 days). Anxiety, insomnia, fever, tremors and possibly seizures. Delirium Tremens (DT's) are severe withdrawal syndrome requiring medical support.

NON-PRESCRIPTION DRUGS:

INHALANTS: Toluene, plastic cement, paint, gasoline, paint thinners, hair sprays, spray aerosol cleaners, markers, nitric oxide, amyl nitrites

STREET NAMES: "Poppers", "Snappers", "Whippets"

PSYCHOLOGICAL EFFECTS: Stimulation, loss of inhibition, euphoria

BEHAVIORAL EFFECTS: Slurred speech, loss of coordination, runny nose, skin irritation around mouth, wheezing.

INTOXICATION: Loss of consciousness, "Sudden Sniffing Death", hallucinations.

WITHDRAWL ISSUES: Within hours of last use, sweating, tremors, insomnia, chest pain.

COCAINE:

STREET NAMES: "Blow", "Bump'Y'Snow", "Crack", "Coke" "Powder", "8ball", Nose Candy"

BEHAVIORAL EFFECTS: feelings of exhilaration, euphoria, mental alertness, increased energy.

PSYCHOLOGICAL EFFECTS: feelings of exhilaration, euphoria, mental alertness, increased energy. Impulsivity, excitable, hyperactive

INTOXICATION EFFECTS: Psychotic, paranoid, anxious, seizures, strokes, heart rhythm abnormalities.

WITHDRAWL ISSUES: Within 72 hours of last use: depression, fatigue, intense cravings, and nightmares.

METHAMPHETAMINES:

STREET NAMES: "Ice", "Crystal", "Glass", "Crank", "Chalk", "Speed", "Meth".

BEHAVIORAL EFFECTS: Excitable, tremors, twitching, dilated pupils, sweating, poor dentition, and extreme weight loss.

PHYSIOLOGICAL EFFECTS: Rapid eye movement, twitching, hyperactive, decreased need for sleep.

INTOXICATION EFFECTS: Anxiety, irritability, paranoia, psychosis, violent behavior, seizures.

WITHDRAWL ISSUES: Within 12-48 hours after last dose; anxiety, irritability, depression, suicidal thoughts.

CLUB DRUGS: MDMA (Ecstasy), Rohypnol, GHB

STREET NAMES: X, lover's speed, R2, roofies, rope, G, Georgia homeboy, date rape drugs

PSYCHOLOGICAL EFFECTS: lower inhibitions, empathetic feelings, mild hallucinations, sedation.

BEHAVIORAL EFFECTS: impaired coordination, sweating, teeth clenching

INTOXICATION EFFECTS: hyperthermia, loss of consciousness, seizures

WITHDRAWL ISSUES: insomnia, loss of weight, anxiety, tremors

DISSOCIATIVES: Ketamine, PCP, Saliva, LSD, Mescaline (peyote), Psilocybin (mushrooms)

STREET NAMES: Special K, cat valium, angel dust, Sally-D, acid, microdot, buttons, cactus, 'shrooms, and purple passions.

PSYCHOLOGICAL EFFECTS: feeling of being separate from one's body, analgesia, euphoria, hallucinations

BEHAVIORAL EFFECTS: psychosis, aggression, slurred speech, loss of coordination.

INTOXICATION EFFECTS: delirium, slowed or stopped breathing, paranoia, sweating, rapid shifts in emotions.

WITHDRAWL ISSUES: Flashbacks, fatigue.

PRESCRIPTION DRUGS:

NARCOTICS: Hydrocodone (Vicodin, Lortab), Oxycodone (Percocet, Oxycontin), Hydromorphone (Dilaudid), morphine (MS Contin), Fentanyl, Codeine, Methadone, Tramadol (Ultram), buprenorphine (Suboxone, Subutex

STREET NAMES: Tabs, Hydros, Watson-387, Blues, footballs, juice, pancakes and syrup, vike, oxy, OC's

PSYCHOLOGICAL EFFECTS: Pain relief, euphoria, increased energy, feelings of well-being.

BEHAVIORAL EFFECTS: dry mouth, itching, constricted pupils, impaired coordination.

INTOXICATION EFFECTS: slow or stopped breathing, loss of consciousness.

WITHDRAWL ISSUES: Within 4-6 hours of last use; Anxiety, muscle cramps, insomnia, goose bumps, dilated pupils, diarrhea, sweaty nose, vomiting, yawning, tears, agitation

BENZODIAZEPINES: (Versed, Halcion, Restoril, Xanax, Valium, Ativan, Klonopin), barbiturates (Seconal, phenobarbital, Fiorinal)

STREET NAMES: Xannies, Bars, tranks, candy, downers,

PSYCHOLOGICAL EFFECTS: reduced anxiety, feelings of well-being, lower inhibitions sedation

BEHAVIORAL EFFECTS: slurred speech, poor concentration, nodding off.

INTOXICATION EFFECTS: slowed or stopped breathing, loss of consciousness, suicidal thoughts.

WITHDRAWL ISSUES: Within 12-24 hours of last use: dizziness, insomnia, seizures, anxiety.

BARBITUATES: Seconal, phenobarbital, Fiorinal

STREET NAMES: barbs, red, phennies, yellow jackets, barbies

PSYCHOLOGICAL EFFECTS: reduced anxiety, feelings of well-being, lower inhibitions, sedation, and euphoria.

BEHAVIORAL EFFECTS: slurred speech, poor concentration, nodding off.

INTOXICATION EFFECTS: slowed or stopped breathing, loss of consciousness, suicidal thoughts. WITHDRAWL ISSUES: Within 12-24 hours after last use; trembling, muscle twitches, anxiety, dizziness, hallucinations, vomiting, delirium, seizures

SLEEPING PILLS: Ambien, Sonata, Lunesta

STREET NAMES: Amb'zzm Amee'sm Abee'ss, Z Drugs, sleepezzy

PSYCHOLOGICAL EFFECTS: Sedation, memory impairment, hallucinations.

BEHAVIORAL EFFECTS: Amnesia, drowsiness

INTOXICATION EFFECTS: "Sleep-wake" behavior, impaired coordination

WITHDRAWL EFFECTS: Dysphoria and insomnia

COLD MEDICINES: Dextromethorphan (Coricidin HBP Cough and Cold, Dimetapp DM, Deslym

STREET NAMES: Skittles, Red Hots, Robo-tripping, Orange Crush, Syrup

PSYCHOLOGICAL EFFECTS: Euphoria, vivid imagination, closed eye hallucinations.

BEHAVIORAL EFFECTS: Dilated pupils, sweating, drowsiness, confusion.

INTOXICATION EFFECTS: Itching, vomiting, confusion, slurred speech, slowed or stopped breathing,

paranoia

WITHDRAWL ISSUES: Rare physical addiction; psychological distress.

STIMULANTS: methylphenidate (Ritalin, Concerta), dextroamphetamine and amphetamine

Adderall), modafinil (Provigil)

STREET NAMES: Beans, bennies, dexies, speed, Vitamil R, Skippy, the smart drug

PSYCHOLOGICAL EFFECTS: Feeling of exhilaration, increased energy and concentration.

BEHAVIORAL EFFECTS: Tremor, irritability, loss of coordination, anxiety

INTOXICATION EFFECTS: Delirium, panic, hallucinations, aggressiveness, seizures, Heart abnormalities.

WITHDRAWL ISSUES: Within 24-48 hours after last dose; confusion, headaches, drowsiness, nausea,

depression, irritability, dizziness, insomnia, sweating or strange sensations on the skin.

CANNABIS: (MARIJUANA AND HASHISH)

STREET NAMES: Blunt, dope, grass, herb, Mary Jane, pot, reefer, weed, boom, hash, hemp.

PSYCHOLOGICAL EFFECTS: euphoria, relaxation, distorted sensory perceptions.

BEHAVIORAL EFFECTS: impaired balance, increased appetite, anxiety

INTOXICATION EFFECTS: psychosis.

WITHDRAWL ISSUES: Within 2-10 days after last use, anxiety, weight loss, change in appetite, muscle pains, headache, chills.